



RJ Hill Laboratories Ltd (Hill Labs)
Hamilton

Client Number 590

Private Bag 3205, Waikato Mail Centre, Hamilton, 3240
28 Duke St, Frankton, Hamilton, 3204

Telephone 0508 445-5522

www.hill-labs.co.nz

Authorised Representative
Ms Leisle Jacobsen
Quality Manager/Lead Auditor

Programme
Chemical Testing Laboratory

Accreditation Number 365

Initial Accreditation Date 15 April 1988

Conformance Standard

ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories

Laboratory Services Summary

Plants and Soils

2.36 Agricultural Products and Agricultural Materials

Inorganics

2.31 Foods

2.41 Waters

2.58 Environmental Monitoring

ICP

2.24 Textiles and Textile Products

2.31 Foods

2.32 Drugs and Pharmaceuticals

2.41 Waters

2.58 Environmental Monitoring

2.61 Biological Specimens

2.70 Instrumental Techniques

Organics

2.31 Foods

2.41 Waters

2.58 Environmental Monitoring

2.70 Instrumental Techniques

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 1 of 26



Food and Bioanalytical

- 2.31 Foods
- 2.32 Drugs and Pharmaceuticals
- 2.36 Agricultural Products and Agricultural Materials
- 2.70 Instrumental Techniques

Raw Milk

- 2.31 Foods

Work Place Drug Testing

- 2.61 Biological Specimens

Air Quality

- 2.58 Environmental Monitoring

Operations Manager Authorisation:		Issue 186	Date:12/08/26	Page 2 of 26
--------------------------------------	---	-----------	---------------	--------------



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Plants and Soils

2.36 Agricultural Products and Agricultural Materials

In accordance with in-house test methods except where otherwise indicated.

(c) Stockfoods and licks

Crude fibre AOAC 962.09 (modified)

(g) Soils

Anion storage capacity	
Base saturation percent of calcium	By calculation
Base saturation percent of magnesium	By calculation
Base saturation percent of potassium	By calculation
Base saturation percent of sodium	By calculation
Cation exchange capacity	By calculation
Lime requirement	By calculation
Organic matter	Dumas combustion / calculation
pH of soils and soil extracts	
pH of soil extracts	NIR
Phosphorus (Olsen extractable)	
Phosphorus (Resin extractable)	
Potentially available nitrogen (anaerobic mineralisable nitrogen)	
Soluble salts	
Sulphate-sulphur	Ion chromatography
Total carbon	Dumas combustion
Total nitrogen	Dumas combustion
Volume weight	

The following elements in soil in accordance with ICP-OES methodology (including extraction):

Aluminium (CaCl₂ extractable)
Boron (hot water extractable)
Exchangeable Calcium (ammonium acetate extractable)
Exchangeable Magnesium (ammonium acetate extractable)
Exchangeable Potassium (ammonium acetate extractable)
Exchangeable Sodium (ammonium acetate extractable)
Extractable Cobalt (EDTA extractable)
Extractable Copper (EDTA extractable)
Extractable Iron (EDTA extractable)
Extractable Manganese (EDTA extractable)
Extractable Organic Sulphur

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 3 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Extractable Zinc (EDTA extractable)

Reserve Potassium (TBK)

Total Phosphorus (Aqua Regia digestion)

In-house based on USEPA 200.2

Total Sulphur (Aqua Regia digestion)

In-house based on USEPA 200.2

The following elements in soil in accordance with ICP-MS methodology (including extraction):

Total Selenium (Aqua Regia digestion)

In-house based on USEPA 200.2

(h) Plants

Acid detergent fibre (Direct)

Ankom fibre instrument

Acid detergent fibre (Sequential)

AFIA method 1.9A (a) (modified)

Acid detergent fibre (Sequential)

NIR

Acid detergent lignin

Ankom method 9 (modified)

Ash

AOAC 942.05

Ash

NIR

Chloride

NIR

Chloride

AOCS AM 5-04

Crude fat

NIR

Crude fat

Crude protein

Dumas combustion / calculation

Crude protein

(NIR) By calculation

Digestibility of organic matter in dry matter (DOMD)

AFIA 1.7R (modified)

Digestibility of organic matter in dry matter (DOMD)

NIR

Metabolisable Energy (ME) calculated from DOMD

AFIA 2.2R (modified) / AFRC by calculation

Neutral detergent fibre

AFIA Method 1.8A(a) (modified)

Neutral detergent fibre

NIR

Nitrate - nitrogen

Residual moisture

NFTA 2.1.4 (3hrs @ 105 °C)

Residual moisture

NIR

Soluble sugars

Colorimetric method

Soluble sugars

NIR

Total nitrogen

Dumas combustion

Total nitrogen

NIR

Total starch (Megazyme)

AOAC 996.11 (modified)

Total starch

NIR

The following elements in plants in accordance with ICP-MS methodology:

Cobalt (microwave digestion)

Iodine (TMAH extraction)

Molybdenum (microwave digestion)

Selenium (microwave digestion)

The following elements in plants in accordance with ICP-OES methodology by microwave digestion:

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 4 of 26



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

Accreditation Number 365

SCOPE OF ACCREDITATIONAluminium
Iron
PotassiumBoron
Magnesium
SodiumCalcium
Manganese
SulphurCopper
Phosphorus
Zinc**(i) Other agricultural products and related materials****Nutrient solutions:**Ammonium - nitrogen
Chloride
Conductivity
Nitrate - nitrogen
pH

The following elements in accordance with ICP-MS methodology:

Molybdenum

The following elements in accordance with ICP-OES methodology:

Boron
Magnesium
SodiumCalcium
Manganese
SulphurCopper
Phosphorus
ZincIron
Potassium**Growing media (potting mix, composts):**Ammonium - nitrogen
Conductivity
Nitrate - nitrogen
pH

Media DTPA extraction for the following metals by ICP-OES:

Boron
Zinc

Copper

Iron

Manganese

Media water extraction for the following metals by ICP-OES:

Calcium
SodiumMagnesium
Sulphur

Phosphorus

Potassium

References:

AOAC AOAC International (Online)

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 5 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Inorganics

2.31 Foods

(j) Alcoholic beverages (Wine)

Sulfate in Wine
Sulfate as K_2SO_4

Ion Chromatography (IC) In-House
By Calculation

2.41 Waters

- (a) Potable waters
- (b) Non-potable waters
- (c) Sewage
- (d) Effluents and trade wastes
- (h) Boiler waters

The following tests are in accordance with APHA "Standard Methods for the Examination of Water and Wastewater" (Online Edition) except where otherwise indicated.

Acidity	2310 B
Alkalinity (as $CaCO_3$)	2320 B (modified)
Ammonium (nitrogen)	4500-NH ₃ F (modified, discrete analyser)
Ammonium (nitrogen)	4500-NH ₃ H
Ammonium (nitrogen)	4500-NH ₃ H (modified)
Ammonium (nitrogen)	In-house
Ammonium (nitrogen)	In-house (FIALab)
Ash	2540 E (modified) (by calculation)
Ash from suspended solids	In-house (by calculation)
Bicarbonate	4500-CO ₂ D
Biochemical oxygen demand	5210 B (modified)
Biochemical oxygen demand	In-house
Bromate	USEPA 300.1 Part B (modified)
Bromide	4110 B (modified)
Bromide	USEPA 300.1 (modified)
Bromide	USEPA 300.1 Part B (modified)
Carbonate	4500-CO ₂ D
Chemical oxygen demand	5220 D
Chloramines	4500-Cl G
Chlorate	USEPA 300.1 Part B (modified)
Chloride	4110 B (modified)
Chloride	USEPA 300.1 (modified)

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 6 of 26

CERTIFICATE OF ACCREDITATION



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Chlorine	4500-Cl G
Chlorite	USEPA 300.1 Part B (modified)
Chlorophyll A	10150 B (modified, Spectrophotometer)
Chlorophyll A	10150 C (modified, Fluorometer)
Chromium (VI)	3500-Cr B (modified, discrete analyser)
Chromium (III) Total	In-house (by calculation)
Colour (Hazen)	2120 C (modified)
Conductivity	2510 B
Cyanide (total)	4500-CN C (modified)
Cyanide (total)	ISO 14403:2012 (e)
Cyanide	4500-CN E (modified, discrete analyser)
Cyanide (weak acid dissociable)	4500-CN I (modified)
Cyanide (weak acid dissociable)	4500-CN O (modified)
Dissolved Inorganic Nitrogen	In-house (by calculation)
Dissolved Organic Carbon	5310 C (modified) (by calculation)
Dissolved reactive phosphorus	4500-P G
Dissolved reactive phosphorus	4500-P G (modified)
Fluoride (potable water only)	4110 B (modified)
Fluoride (potable water only)	USEPA 300.1 (modified)
Fluoride	4500-F C
Free carbon dioxide	4500-CO ₂ D
Hardness	2340 B (by calculation)
Hydroxide Alkalinity from Alkalinity	2320 B (by calculation)
Hydroxide Alkalinity from pH	4500-CO ₂ D (by calculation)
Ion Balance	1030 E
Langelier saturation index (LSI)	2330 B
Mercury	USEPA 245.7 (CVAF)
Nitrate	4110 B (modified)
Nitrate	USEPA 300.1 (modified)
Nitrate (nitrogen)	4500-NO ₃ I (modified)
Nitrite	USEPA 300.1 (modified)
Nitrite (nitrogen)	4110 B (modified)
Nitrite (nitrogen)	4500-NO ₃ I (modified)
Oil and Grease	5520 D (modified)
pH	4500-H B (modified)
Phenols	5530 B (modified)
Phenols	5530 D (Auto analyser)
Phosphate	4110 B (modified)
Phosphate	USEPA 300.1 (modified)
Phosphate from DRP	In-house (by calculation)
Reactive silica	4500-SiO ₂ F (modified)
Reactive silica	4500-SiO ₂ F (modified, discrete analyser)
Ryznar index (RI)	In-house
Sulphate	4110 B (modified)
Sulphate	USEPA 300.1 (modified)
Sulphide	4500-S ² I (modified, FIA)
Sulphide	4500-S ₂ E (modified)

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 7 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Sulphite	4500-SO ₃ B
Tannins and lignins	5550 B (modified)
Total and nonpurgeable organic carbon	5310 C (modified)
Total dissolved nitrogen	In-house (by calculation)
Total dissolved solids	2540 C (modified)
Total inorganic nitrogen	In-house (by calculation)
Total Kjeldahl nitrogen	4500-N _{org} D (modified, discrete analyser)
Total Kjeldahl nitrogen	4500-N _{org} D (modified, FIA)
Total nitrogen	4500-N C
Total nitrogen	4500-NO ₃ I (modified)
Total nitrogen	In-house (by calculation)
Total organic nitrogen	In-house (by calculation)
Total organic nitrogen (trace level)	In-house (by calculation)
Total phosphorus	4500-P B / E (modified, discrete analyser)
Total phosphorus	4500-P H (modified)
Total solids	2540 B (modified)
Total suspended solids	2540 D (modified)
Turbidity	2130 B (modified)
Turbidity	ISO 7027:2016 (modified)
Ultraviolet absorption	5910 B
Unionised hydrogen sulphide	4500-S ² H (modified) (by calculation)
Urea (nitrogen)	In-house
Volatile fatty acids	In-house by IC
Volatile fatty acids (total)	In-house (by calculation)
Volatile suspended solids	2540 E (modified)
Volatile total solids	2540 E (modified)

(g) Marine waters

Ammonium (nitrogen)	4500-NH ₃ H
Ammonium (nitrogen)	In-House (FIALab)
Ash	2540 E (modified) (by calculation)
Ash from suspended solids	In-house (by calculation)
Chlorophyll A	10150 B (modified, Spectrophotometer)
Chlorophyll A	10150 C (modified, Fluorometer)
Conductivity	2510 B
Dissolved Inorganic Nitrogen	In-house (by calculation)
Dissolved reactive phosphorus	4500-P G
Hydroxide Alkalinity from pH	4500-CO ₂ D (by calculation)
Nitrate (nitrogen)	4500-NO ₃ I (modified)
Nitrite (nitrogen)	4500-NO ₃ I (modified)
pH	4500-H ⁺ B (modified)
Phosphate from DRP	In-house (by calculation)
Reactive silica	4500-SiO ₂ F (modified, discrete analyser)
Total inorganic nitrogen	In-house (by calculation)
Total nitrogen	4500-N C
Total nitrogen	4500-NO ₃ I (modified)

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 8 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Total organic nitrogen (trace level)	In-house (by calculation)
Total phosphorus	4500-P H (modified)
Total suspended solids	2540 D (modified)
Turbidity	2130 B (modified)
Turbidity	ISO 7027: 2016 (modified)
Volatile suspended solids	2540 E (modified)

2.58 Environmental Monitoring

(c) Soils and sludges

Oil and Grease	5520 E (modified)
----------------	-------------------

ICP

2.24 Textiles and Textile Products

(c) Chemical tests

2.31 Foods

(c) Nuts, fruits and vegetables and derived products

(f) Dairy products

Microwave Digestion of textiles, food and biological specimens for Elemental Analysis, in accordance with in-house procedures:

Aluminium	Antimony	Arsenic	Barium
Boron	Cadmium	Caesium	Calcium
Cerium	Chromium	Cobalt	Copper
Dysprosium	Erbium	Europium	Gadolinium
Holmium	Iron	Lanthanum	Lead
Lithium	Lutetium	Magnesium	Manganese
Molybdenum	Neodymium	Nickel	Potassium
Praseodymium	Rubidium	Samarium	Selenium
Sodium	Strontium	Thulium	Tin
Uranium	Vanadium	Ytterbium	Yttrium
Zinc			

(c) Nuts, fruits and vegetables and derived products

(f) Dairy products

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 9 of 26

CERTIFICATE OF ACCREDITATION



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

SCOPE OF ACCREDITATION

Accreditation Number 365

- (g) **Meat, poultry and derived products**
 (i) **Eggs and egg products**
 (o) **Other specified foods (honey, propolis and related products)**

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Barium
Boron	Cadmium	Caesium	Calcium
Cerium	Chromium	Cobalt	Copper
Dysprosium	Erbium	Europium	Gadolinium
Holmium	Iron	Lanthanum	Lead
Lithium	Lutetium	Magnesium	Manganese
Molybdenum	Neodymium	Nickel	Potassium
Praseodymium	Rubidium	Samarium	Selenium
Sodium	Strontium	Thulium	Tin
Uranium	Vanadium	Ytterbium	Yttrium
Zinc			

(c) **Nuts, fruits and vegetables and derived products**

The following elements by ICP-MS in accordance with in-house procedures based on APHA 3030 and 3125:

Antimony	Arsenic	Bismuth	Cadmium
Chromium	Copper	Lead	Mercury
Molybdenum	Silver	Tin	Zinc

(f) **Dairy products**

The following elements by ICP-OES in accordance with in-house procedures based on APHA 3030 and 3120:

Calcium	Iron	Magnesium	Phosphorus
Potassium	Sodium	Sulphur	Zinc

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Bismuth
Boron	Cadmium	Chromium	Cobalt
Copper	Iodine	Lead	Lithium
Manganese	Mercury	Molybdenum	Nickel
Selenium	Silver	Tin	Zinc

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 10 of 26



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

SCOPE OF ACCREDITATION

Accreditation Number 365

(g) Meat, poultry and derived products

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Arsenic	Cadmium	Lead	Mercury
Selenium			

(h) Fish and fish products

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Barium
Beryllium	Bismuth	Boron	Cadmium
Caesium	Chromium	Cobalt	Copper
Lanthanum	Lead	Lithium	Manganese
Mercury	Molybdenum	Nickel	Rubidium
Selenium	Silver	Strontium	Thallium
Tin	Uranium	Vanadium	Zinc

(j) Alcoholic beverages (wine)

The following elements by ICP-MS in accordance with in-house procedures based on APHA 3030 and 3125:

Antimony	Arsenic	Bismuth	Boron
Cadmium	Chromium	Copper	Lead
Manganese	Mercury	Nickel	Silver
Tin	Zinc		

The following elements by ICP-OES in accordance with in-house procedures based on APHA 3030 and 3120:

Calcium	Iron	Potassium	Sodium
---------	------	-----------	--------

(o) Other specified foods (honey, propolis and related products)

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Cadmium
Chromium	Copper	Iodine	Lead
Mercury	Selenium	Zinc	

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 11 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

2.32 Drugs and Pharmaceuticals

(i) Other products – Cannabis (plant and oil)

The following elements by ICP-MS in accordance with in-house procedures based on EU Pharmacopeia 2.4.27:

Arsenic (plant only) Cadmium Lead Mercury

The following element by ICP-MS in accordance with in-house procedures based on alkaline digestion:

Arsenic (oil only*)

*Finished medicinal cannabis and ethanol extracts only

2.41 Waters

- (a) Potable waters
- (b) Non-potable waters
- (c) Sewage
- (d) Effluents and trade wastes
- (h) Boiler waters

The following elements by ICP-MS in accordance with APHA 3030 (modified), 3125 and USEPA 1638, 200.1:

Aluminium	Antimony	Arsenic	Barium
Beryllium	Bismuth	Boron	Cadmium
Caesium	Calcium	Chromium	Cobalt
Copper	Iodine	Iron	Lanthanum
Lead	Lithium	Magnesium	Manganese
Mercury	Molybdenum	Nickel	Phosphorus
Potassium	Rubidium	Selenium	Silicon
Silver	Sodium	Strontium	Sulphur
Thallium	Thorium	Tin	Uranium
Vanadium	Zinc		

The following element by ICP-OES in accordance with APHA 3030 (modified) and 3120:

Sulphur

Borate (B_4O_7) In-house (by calculation)

(g) Marine waters

The following elements by ICP-MS in accordance with APHA 3030 (modified), 3125 and USEPA 1638, 200.1:

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 12 of 26

CERTIFICATE OF ACCREDITATION



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

Accreditation Number 365

SCOPE OF ACCREDITATION

Aluminium	Antimony	Arsenic	Barium
Beryllium	Bismuth	Boron	Cadmium
Caesium	Calcium	Chromium	Cobalt
Copper	Iron	Lanthanum	Lead
Lithium	Magnesium	Manganese	Mercury
Molybdenum	Nickel	Phosphorus	Potassium
Rubidium	Selenium	Silica	Silver
Sodium	Strontium	Sulphur	Thallium
Tin	Uranium	Vanadium	Zinc

Borate (B_4O_7)

In-house (by calculation)

2.58 Environmental Monitoring**(b) Air****(Filters and wipes)**

The following element by ICP-MS in accordance with in-house procedures based on NIOSH Method 7303 Issue 1:

Lead

(c) Soils and sludges

Acid extractable using USEPA 200.2 (modified) digestion procedures and TCLP/SPLP USEPA 1311 and 1312 extractable metals by ICP-MS in accordance with APHA 3125:

Detection limits depend on the matrix tested e.g. soils or marine sediments and are available from the laboratory on request.

Aluminium	Antimony	Arsenic	Barium
Beryllium	Bismuth	Boron	Cadmium
Caesium	Calcium	Chromium	Cobalt
Copper	Iron	Lanthanum	Lead
Lithium	Magnesium	Manganese	Mercury
Molybdenum	Nickel	Phosphorus	Potassium
Rubidium	Selenium	Silver	Sodium
Strontium	Thallium	Tin	Uranium
Vanadium	Zinc		

OLEM 9200.2-164, Standard Operating Procedure for an In Vitro Method for the determination of Arsenic and Lead Bioaccessibility (April 20, 2017) / APHA 3125.

(d) Other materials

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 13 of 26



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

Accreditation Number 365

SCOPE OF ACCREDITATION**(Fish and shellfish)**

Detection limits depend on the technique used e.g. ICP-MS or ICP-OES and are available from the laboratory on request.

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Barium
Beryllium	Bismuth	Boron	Cadmium
Caesium	Chromium	Cobalt	Copper
Lanthanum	Lead	Lithium	Manganese
Mercury	Molybdenum	Nickel	Rubidium
Selenium	Silver	Strontium	Thallium
Tin	Uranium	Vanadium	Zinc

The following element by ICP-OES in accordance with in-house procedures based on APHA 3030 and 3120:

Calcium	Iron	Magnesium	Potassium
Sodium			

(Paint)

The following element by ICP-MS in accordance with in-house procedures:

Lead

2.61 Biological Specimens

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 14 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

(b) Residues in specified veterinary specimens

The following elements by ICP-MS in accordance with in-house procedures based on alkaline digestion or APHA 3030 and 3125:

Aluminium	Antimony	Arsenic	Barium
Boron	Cadmium	Caesium	Calcium
Cerium	Chromium	Cobalt	Copper
Dysprosium	Erbium	Europium	Gadolinium
Holmium	Iron	Lanthanum	Lead
Lithium	Lutetium	Magnesium	Manganese
Molybdenum	Neodymium	Nickel	Potassium
Praseodymium	Rubidium	Samarium	Selenium
Sodium	Strontium	Thulium	Tin
Uranium	Vanadium	Ytterbium	Yttrium
Zinc			

References:

APHA APHA "Standard Methods for the Examination of Water and Wastewater" (Online Edition)
USEPA United States Environmental Protection Agency

2.70 Instrumental Techniques

(i) Inductively Coupled Plasma-Mass Spectrometry (ICP-MS)

All techniques pertain to classes of tests 2.24, 2.31, 2.32, 2.41, 2.58, 2.61 as detailed above.

Explanatory Note:

This 2.70 class of test allows specifically approved senior analysts to develop, validate and use a new test method by the specified instrumental technique for a non-routine analysis in the classes of tests specified. The report over the analyst's personal signature may be endorsed with the IANZ Accreditation symbol. Should the method become routine, an IANZ technical assessment is required before the method can appear on the laboratory's scope of routine accredited tests.

Organics

2.31 Foods

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 15 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

(j) Alcoholic beverages (Wine)

The following tests in wine in accordance with the requirements of the MPI Wine Notice Requirements for Recognised Agencies and Persons (10 March 2022):

Solvents in Wine (including methanol)

GC-FID/FID In-House

2.41 Waters

- (a) Potable waters**
- (b) Non-potable waters**
- (c) Sewage**
- (d) Effluents and trade wastes**
- (h) Boiler waters**

The following tests are in accordance with validated in-house methods and based upon standard methods where indicated. A full listing of compounds and detection limits are available from the laboratory upon request.

GC-ECD

Organochlorine pesticides (OCP)
Pentachlorophenol (PCP)

In-house based on USEPA 8081

GC-MS

Amine acid chelating agents (EDTA & NTA) (potable only)
Halogenated acetic acids (HAA) (potable only)
Halogenated volatile disinfection by-products (HVDB)
(potable only)

In-house based on USEPA 552

In-house based on USEPA 551

Volatile organic compounds (VOC) incl. compound classes:

In-house based on USEPA 8260, 5021

- BTEX
- Haloaromatics
- Halogenated aliphatics
- Ketones
- Monocyclic aromatic hydrocarbons
- Trihalomethanes

Semi-volatile organic compounds (SVOC) incl. compound classes:

In-house based on USEPA 8270

- Multiresidue pesticides
- Organochlorine pesticides (OCP)
- Polychlorinated biphenyls (PCB)
- Polycyclic aromatic hydrocarbons (PAH)

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 16 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

GC-MS and GC-FID

Total petroleum hydrocarbons (TPH) (covering C6 – C9)

In-house based on USEPA 5021 and 8260 (GC-MS Head Space)

Total petroleum hydrocarbons (TPH) (covering C7 – C44)

In-house based on USEPA 8015 (GC-FID)

GC-MS/MS

Organochlorine Pesticides

In-house based on USEPA 8081, 8270

Polycyclic Aromatic Hydrocarbons (PAH)

In-house based on USEPA 8270

Semi-volatile organic compounds (SVOC)

In-house based on USEPA 8270

- Haloethers
- Halogenated compounds
- Multiresidue pesticides
- Nitrogen containing compounds
- Organochlorine pesticides (OCP)
- Phenols
- Plasticisers
- Polycyclic Aromatic Hydrocarbons

LC-MS/MS

Acid Herbicides (including PCP)

Acrylamide

Formaldehyde

In-house based on USEPA 8315

(a) Potable waters

LC-MS/MS

Aldicarb (including Sulfoxide & Sulphone)

Isoproturon

Oryzalin

Oxamyl

Primisulfuron Methyl

Thiabendazole

(a) Potable waters

(b) Non-potable waters

(g) Marine waters

LC-MS/MS

Tributyl Tin

(a) Potable waters

(b) Non-potable waters

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 17 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

LC-MS/MS

Per- and Polyfluoroalkyl Substances (PFAS)

ASTM D8421 Online (modified)

2.58 Environmental Monitoring

(c) Soils and sludges

The following tests are in accordance with validated in-house methods and based upon standard methods where indicated. A full listing of compounds and detection limits are available from the laboratory upon request.

Extraction and analysis of TCLP/SPLP extractions

GC-ECD

Organochlorine pesticides (OCP)

In-house based on USEPA 8081

GC-FID

Total petroleum hydrocarbons (TPH)

In-house based on USEPA 8015

GC-MS

Organonitrogen and Organophosphorus (ON/OP) Pesticides

Volatile organic compounds (VOC) including compound classes:

In-house based on USEPA 8260, 5021

- BTEX
- Haloaromatics
- Halogenated aliphatics
- Ketones
- Monocyclic aromatic hydrocarbons
- Trihalomethanes

Semi-volatile organic compounds (SVOC) including compound classes:

In-house based on USEPA 8270

- Multiresidue pesticides
- Organochlorine pesticides (OCP)
- Polychlorinated biphenyls (PCB)
- Polycyclic aromatic hydrocarbons (PAH)

GC-MS/MS

Organochlorine Pesticides

In-house based on USEPA 8081, 8270

Operations Manager
Authorisation:

Issue 186

Date: 12/08/26

Page 18 of 26



RJ Hill Laboratories Ltd (Hill Labs)

Chemical Testing Laboratory

Accreditation Number 365

SCOPE OF ACCREDITATION

Polycyclic Aromatic Hydrocarbons (PAH)
Semi-volatile organic compounds (SVOC)

In-house based on USEPA 8270

In-house based on USEPA 8270

- Haloethers
- Halogenated compounds
- Multiresidue pesticides
- Nitrogen containing compounds
- Organochlorine pesticides (OCP)
- Phenols
- Plasticisers
- Polycyclic Aromatic Hydrocarbons

LC-MS/MS

Acid Herbicides (including PCP)
Per- and Polyfluoroalkyl Substances (PFAS)
Tributyl Tin

ASTM D7968 Online (modified)

(d) Other materials (Environmental wipes)**LC-MS/MS**

Analysis for the following compounds in gauze swabs by LC-MS/MS in accordance with NIOSH 9111 (modified)

- Amphetamine
- Methamphetamine
- Ephedrine
- Pseudoephedrine

2.70 Instrumental Techniques**(a1) Gas chromatography (2.41, 2.58)****(a2) Gas chromatography (including Mass Selective Detection (MSD)) (2.41, 2.58)****(b) High performance liquid chromatography (including UPLC) (2.41)****(d2) Liquid chromatography – Tandem Mass Spectrometry (2.41, 2.58)**

All techniques pertain to classes of test shown in parenthesis detailed above.

Explanatory Note:

This 2.70 class of test allows specifically approved senior analysts to develop, validate and use a new test method by the specified instrumental technique for a non-routine analysis in the classes of tests specified. The report over the analyst's personal signature may be endorsed with the IANZ Accreditation symbol. Should the method become routine, an IANZ technical assessment is required before the method can appear on the laboratory's scope of routine accredited tests.

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 19 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Food and Bioanalytical

2.31 Foods

- (a) Cereals and cereal products
- (b) Edible oils, fats and their products
- (c) Nuts, fruits and vegetables and derived products
- (d) Sauces, herbs, spice and condiments
- (f) Dairy products
- (g) Meat, poultry and derived products
- (h) Fish and fish products
- (i) Eggs and egg products
- (k) Non-alcoholic beverages
- (o) Other prepared foods

The following tests in selected matrices in accordance with validated in-house methods except where otherwise indicated:

Ash	In-house based on AOAC 942.05
Crude protein	In-house based on AOAC 992.15
Moisture	In-house based on AOAC 945.15
Total nitrogen	In-house based on AOAC 992.15

(n) Residues in foodstuffs and crops

In accordance with validated in-house methods in selected matrices by the techniques specified.

GC-MS

Total dithiocarbamates as carbon disulfide
p-Dichlorobenzene (pDCB) (honey, propolis, bee's wax)(SPME)

GC-MS/MS

Amitraz (Total) in Honey (honey and edible infused honey)

Multi-residue screening by Citrate buffered QUECHERS (fruit, vegetables, crops, wine and derived products, honey, milk)

LC-MS/MS

Acidic herbicides (milk, fruit, vegetables, crops and derived products)

Operations Manager Authorisation:		Issue 186	Date:12/08/26	Page 20 of 26
--------------------------------------	--	-----------	---------------	---------------



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Glyphosate, Glufosinate and AMPA (honey, fruit, vegetables, crops and derived products)

Glyphosate, Glufosinate and Metabolites (honey)

Mycotoxins (grain and grain products, feed)

- Aflatoxins (plus peanuts and derived products, and spices)
- Aflatoxins M1 (milk)
- Fumonisin
- Ochratoxin A
- Trichothecenes
- Zearalenone

Multi-Residue Polar Compounds in Cannabis, oil and derived products

- Chlomequat
- Daminozide

Multi-residue screening by Citrate buffered QUECHERS (fruit, vegetables, wine, crops & derived products, honey, milk)

Polar triazines and their precursors in milk

Streptomycin, Dihydrostreptomycin and Kasugamycin (Kiwifruit)

Tutin (honey: water extraction)

Tutin (honey: acetonitrile extraction)

(o) Other prepared foods

Brix in honey

AOAC 990.35A

Colour in honey

In-house (spectrophotometer)

Diastase in honey

IHC Method 6.2 (modified)

Diastase in honey

DIN 10750-2 (modified)

Electrical Conductivity @ 20 °C in honey

IHC Method 2 (modified)

Moisture in honey

IHC Method 1 (modified)

uHPLC / UV-Vis

3 in 1 Honey (DHA, HMF and MGO)

- Dihydroxyacetone (DHA)
- 5-hydroxymethylfurfural (HMF)
- Methylglyoxal (MGO)

Non-Peroxide Activity as % Phenol Equivalence by calculation from methylglyoxal concentration

Isotopic Ratio Mass Spectroscopy (IRMS)

C-4 Sugars in honey

AOAC 998.12

C-4 Sugars in honey – Screen

AOAC 998.12 (modified)

LC-MS/MS

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 21 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Analysis of the following analytes in New Zealand Manuka Honey by LC-MS/MS in accordance with in-house procedures:

Four Chemical Characterisation (NZ Manuka Honey)

- 2-Methoxyacetophenone (2-MAP)
- 2-Methoxybenzoic acid (2-MBA)
- 3-Phenyllactic acid (3-PA)
- 4-Hydroxyphenyllactic acid (4-HPA)

Leptosperin (NZ Manuka Honey)

References:

AOAC AOAC International (Online)

2.32 Drugs and Pharmaceuticals

(e) Hormones and their preparations

Progesterone in powder	HPLC (in-house)
Progesterone in silicone implants	HPLC (in-house)

(i) Other products – Cannabis

Cannabinoids in cannabis	LC-MS/MS (in-house)
--------------------------	---------------------

2.36 Agricultural Products and Agricultural Materials

(c) Stockfoods

Ash	In-house based on AOAC 942.05
Crude protein	In-house based on AOAC 992.15
Moisture	In-house based on AOAC 945.15
Total nitrogen	In-house based on AOAC 992.15

(h) Plants

GC-MS/MS

Multi-residue screening by Citrate buffered QUECHERS

LC-MS/MS

Multi-residue screening by Citrate buffered QUECHERS

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 22 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

(i) Other agricultural products – Agricultural chemicals

Amino alcohols	LC-MS/MS (in-house)
Quaternary Ammonium Compounds (QAC)	LC-MS/MS (in-house)
• Benzalkonium chloride	
• Didecyldimethylammonium chloride	

2.70 Instrumental Techniques

- (a1) Gas chromatography (2.31)**
- (a2) Gas chromatography (including Mass Selective Detection (MSD)) (2.31)**
- (a3) Gas chromatography (including Tandem Mass Spectrometry GC-MS/MS) (2.31)**
- (b) High performance liquid chromatography (including UPLC) (2.31)**
- (d2) Liquid chromatography – Tandem Mass Spectrometry (LC-MS/MS) (2.31)(2.32)**

All techniques pertain to classes of test shown in parenthesis detailed above.

Explanatory Note:

This 2.70 class of test allows specifically approved senior analysts to develop, validate and use a new test method by the specified instrumental technique for a non-routine analysis in the classes of test specified. The report over the analyst's personal signature may be endorsed with the IANZ Accreditation symbol. Should the method become routine, an IANZ technical assessment is required before the method can appear on the laboratory's scope of routine accredited tests.

Raw Milk

2.31 Foods

(f) Dairy products

(raw milk)

Fat (MilkoScan)	ISO 9622 / IDF 141:2013
Foreign matter	In-house based on APHA 19.022
Freezing point (MilkoScan)	ISO 9622 / IDF 141:2013
Freezing point (Cryoscope)	ISO 5764 / IDF 108:2009
Lactose (MilkoScan)	ISO 9622 / IDF 141:2013
Protein (MilkoScan)	ISO 9622 / IDF 141:2013
Somatic Cell Count (Fossomatic)	ISO 13366-2 / IDF 148-2:2006
Total Solids (MilkoScan)	ISO 9622 / IDF 141:2013
Urea (Milkoscan)	ISO 9622/IDF 141:2013

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 23 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

(raw milk, colostrum)

Chlorate and Perchlorate

Immunoglobulin

Organochlorines (4,4'-DDE)

In-house (LC-MS/MS)

In-house (HPLC)

In-house (SPME-GC-MS/MS)

Work Place Drug Testing

2.61 Biological Specimens

(a) Residues in specified human specimens

In accordance with the general requirements of the Australian/New Zealand Standard AS/NZS 4308:2008 "Procedures for the collection, detection and quantitation of drugs of abuse in urine".

Screening and confirmation of the following drugs of abuse in urine specimens by LC-MS/MS:

Amphetamine Type Substances (ATS)

Amphetamine
Methamphetamine

Ephedrine
Phentermine

MDA
Pseudoephedrine

MDMA

Opiates and Opioids

6-Monoacetylmorphine
(MAM)
Hydromorphone
Tramadol

Codeine
Morphine

Fentanyl
Oxycodone

Hydrocodone
Oxymorphone

Cocaine and cocaine metabolites

Benzoylcegonine

Ecgonine Methyl Ester (EME)

Benzodiazepines

Alprazolam*
Lorazepam
Oxazepam

Clonazepam*
Midazolam*
Temazepam

Diazepam
Nitrazepam*
Triazolam*

Flunitrazepam*
Nordiazepam

*The following Benzodiazepine metabolites are analysed and reported:

7-amino-clonazepam
alpha-hydroxy-alprazolam

7-amino-flunitrazepam
alpha-hydroxy-midazolam

7-amino-nitrazepam
alpha-hydroxy-triazolam

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 24 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

Cannabis

THC-COOH

In accordance with the general requirements of the Society of Hair Testing Guidelines, Forensic Science International 2011. Screening and Confirmation of the following drugs of abuse in hair specimens by LC-MS/MS or GC-MS/MS

LC-MS/MS

Alcohol Markers – Ethyl Glucuronide (ETG)
Amphetamine Type Substances (ATS)
Benzodiazepines
Cannabis – Cannabinoids
Cocaine and Cocaine metabolites
Ketamine and metabolites
Opiates and Opioids
Phencyclidine (PCP)

GC-MS/MS

Alcohol Markers – Ethyl Palmitate (ETP)
Cannabis – THC-COOH

Air Quality

2.58 Environmental Monitoring

(b) Air

A full listing of the compounds and their detection limits are available from the laboratory on request. The laboratory is accredited for analysis only for the methods below.

GC-FID/FID

NIOSH 1501 (charcoal tubes and badges) (modified)
Monocyclic Aromatic Hydrocarbons

HPLC

USEPA TO-11A (modified) (DNPH impregnated silica tubes and badges)
Determination of Formaldehyde in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC) [Active Sampling Methodology]

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 25 of 26



RJ Hill Laboratories Ltd (Hill Labs)
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 365

USEPA TO-11A (modified) (DNPH impregnated silica tubes and badges)
Determination of Acetaldehyde in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC) [Active Sampling Methodology]

USEPA TO-11A (modified) (DNPH impregnated silica tubes and badges)
Determination of Carbonyl compounds in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC) [Active Sampling Methodology]

NIOSH 2016 (modified) (DNPH impregnated silica tubes and badges)
Formaldehyde

Gravimetric

AS 3640:2009
Gravimetric determination of inhalable dust in workplace atmospheres

AS 2985:2009
Gravimetric determination of respirable dust in workplace atmospheres

AS/NZS 3580.9.3:2015
Determination of suspended particulate matter – Total suspended particulate matter (TSP) – High volume sampler Gravimetric method

AS/NZS 3580.9.6:2015
Determination of suspended particulate matter – PM₁₀ high volume sampler with size selective inlet – Gravimetric method

AS 3580.9.9:2017 (modified)
Determination of suspended particulate PM₁₀ low volume sampler – gravimetric method

AS 3580.9.10:2017 (modified)
Determination of suspended particulate PM_{2.5} low volume sampler – gravimetric method

References:

AS Australian Standard
AS/NZS Australian and New Zealand Standard
NIOSH National Institute for Occupational Safety and Health
USEPA United States Environmental Protection Agency

Operations Manager
Authorisation:

Issue 186

Date:12/08/26

Page 26 of 26